

# **Notice of References Cited**

Application/Control No.

10/520,046

Applicant(s)/Patent Under  
Reexamination  
FUCHS, MANFRED

Examiner

ANDRAE S. ALLISON

Art Unit

2624

Page 1 of 1

## **U.S. PATENT DOCUMENTS**

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	A	US-5,776,063	07-1998	Dittrich et al.	600/408
*	B	US-5,417,211	05-1995	Abraham-Fuchs et al.	600/409
*	C	US-6,073,040	06-2000	Kiyuna, Tomoharu	600/409
*	D	US-6,132,381	10-2000	Forbes et al.	600/483
*	E	US-6,856,830	02-2005	He, Bin	600/513
*	F	US-5,331,970	07-1994	Gevins et al.	600/544
*	G	US-6,957,172	10-2005	Wegerich, Stephan W.	702/189
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

## **FOREIGN PATENT DOCUMENTS**

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

## **NON-PATENT DOCUMENTS**

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)			
	U	Braun et al, "Confidence interval of SingUe Dipole Locations Based on EEG Data", Brain Topography, Volume 10, Number 1,1997			
	V	Yamazki et al, "The accuracy of localizing equivalent dipoles and thespatio-temporal correlations of background EEG", Biomedical Engineering, IEEE Transactions, Sep 1998, Volume: 45, Issue: 9, On page(s): 1114-1121.			
	W				
	X				

\*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a))  
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.